



SHREEJI CERAMIC INDUSTRIES

8-A, National Highway, Lalpar,
MORBI - 363 642. (Guj.) INDIA.

SHREEJI VITRIFIED PVT. LTD.

(Regd. Office) : 8-A, National Highway, Lalpar,
B/h. Shreeji Ceramic Industries, MORBI - 363 642. (Guj.) INDIA.
Ph. : +91-2822-241 499 • Fax : +91-2822-242 294

Web : www.shreejicera.com

e-mail : info@shreejicera.com

Follow "SHREEJI CERAMIC" on      

STAIN
SCRATCH FREE⁺
nano⁺
polish technology

multi CHARGED

800 x 800 mm | 605 x 605 mm



an ISO 9001 : 2008 certified company


Artica SHREEJI
Inspired Creative

VITRIFIED TILES

INSPIRED CREATIVE

Creativity is taking over.
It is changing our world. Creating new opportunities. Creativity that evolved into a revolution.
No wonder Shreeji Ceramic presents a highly competitive range of multi charged vitrified tiles – where creativity is inspired from the trend of modern world.

m



www.shreejicera.com



CON TENTS

| | |
|-----------------|-----------------|
| 800X X800MM | |
| 4 MULTI CHARGED | 10 SOLUBLE SALT |
| 605X X605MM | |
| 18 CROWN | 24 VELVET |



CROWN
PARADISE

STAIN FREE
SCRATCH FREE
nano+
polish technology



800
800 mm
MULTI CHARGED
VITRIFIED



Velvet

PEARL

STAINFREE
SCRATCHFREE
nano+
polish technology



800
800 mm
MULTI CHARGED
VITRIFIED



Wisdom

HARMONY

STAINFREE
SCRATCHFREE
nano+
polish technology




800
800 mm
MULTI CHARGED
VITRIFIED



IVORY

STAIN FREE
SCRATCH
nano+
polish technology



1402



800
800 mm
SOLUBLE SALT
VITRIFIED TILES



1438



STAIN FREE
SCRATCH FREE
nano+
polish technology

1442




800
800 mm
SOLUBLE SALT
VITRIFIED TILES



1466

STAIN FREE
SCRATCH
nano+
polish technology



1467

Artica^{SHREEJI}
Inspired Creative

800

800 mm

SOLUBLE SALT
VITRIFIED TILES

VITRIFIED
TILES

Artica
SHREEJI
Inspired Creative

www.shreejicera.com



INSPIRED
CREATIVE


605X605 mm
MULTICHARGED VITRIFIED TILES



RICH

CROWN

CAREMAL



605
605 mm
MULTI CHARGED
VITRIFIED


STAINFREE⁺
SCRATCH
nano+
polish technology



CROWN

PARADISE

STAIN FREE
nano+
polish technology



605
605 mm
MULTI CHARGED
VITRIFIED



CROWN

ICE

STAIN
SCRATCH
nano+
polish Technology



605
605 mm
MULTI CHARGED
VITRIFIED



Velvet

FLAMINGO

STAIN FREE
SCRATCH FREE⁺
nano⁺
polish Technology




605
605 mm
MULTI CHARGED
VITRIFIED




Velvet

MOON

STAIN FREE
SCRATCH FREE
nano+
polish Technology




605
605 mm
MULTI CHARGED
VITRIFIED



PEARL

Velvet

BASALT



605
605 mm
MULTI CHARGED
VITRIFIED



SUMMER

Velvet

FLAME



605

605 mm

MULTI CHARGED
VITRIFIED


STAINFREE
SCRATCH
nano+
polish technology



FLORA

Velvet

BOTANY




605
605 mm
MULTI CHARGED
VITRIFIED

STAIN FREE
SCRATCH
nano+
polish technology



Velvet


BOURBON




605
605 mm
MULTI CHARGED
VITRIFIED

STAIN FREE
SCRATCH FREE
nano+
polish technology

800x800mm MULTI CHARGE VITRIFIED



PEARL




PARADISE



HARMONY

STAIN FREE nano+ polish technology

Velvet




MOON




FLAMINGO

605x605mm MULTI CHARGE VITRIFIED




BOURBON

800x800mm SOLUBLE SALT VITRIFIED TILES




WORY




1402




1438



PEARL



SUMMER




FLORA



1442



1466



1467




BASALT

STAIN FREE nano+ polish technology




FLAME



BOTANY




RICH



CAREMAL



PARADISE



ICE

Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instruction on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

TECHNICAL SPECIFICATION

| Sr. No. | PROPERTY | International Std. ISO 13006 Group-B I a | SHREEJI ARTICA VITRIFIED Value | Method of Testing |
|--|---|---|---|-------------------|
| DIMENSION & SURFACE QUALITY | | | | |
| 1. | Deviation in Length & Width | ± 0.6% | ± 0.1% | IS 10545-2 |
| 2. | Deviation in Thickness | ± 5.0% | ± 3.0% | IS 10545-2 |
| 3. | Straightness of Sides | ± 0.5% | ± 0.1% | IS 10545-2 |
| 4. | Rectangularity | ± 0.6% | ± 0.1% | IS 10545-2 |
| 5. | Surface Flatness (centre curvature) | ± 0.5% | ± 0.1% | IS 10545-2 |
| PHYSICAL PROPERTIES | | | | |
| 1. | Water Absorption | ≤ 0.5% | ≤ 0.05% | IS 10545-3 |
| 2. | Flexural Strength | ≥ 35 N/mm ² | ≥ 35 N/mm ² | IS 10545-4 |
| 3. | Moh's Hardness | Min 6 | Min 7 | EN 101 |
| 4. | Breaking Strength | ≥ 1300 N | ≥ 2850 N | IS 10545-4 |
| 5. | Abrasion Resistance | 175 mm ³ Max. | 144mm ³ Max. | IS 10545-6 |
| 6. | Skid Resistance (friction co-efficient) | > 0.4 | > 0.4 | IS 10545-17 |
| 7. | Density (g/cc) | > 2 | > 2.4 | IS 10545-3 |
| 8. | Thermal Shock resistance | No damage | 10 Cycles min. | IS 10545-9 |
| 9. | Thermal Expansion | 9 x 10 ⁻⁶ K ⁻¹ Max. | 6 x 10 ⁻⁶ K ⁻¹ Max. | IS 10545-8 |
| 10. | Frost Resistance | Frost Proof | Frost Proof | IS 10545-12 |
| 11. | Moisture Expansion | Nil | Nil | IS 10545-10 |
| 12. | Color Resistance | No damage | No damage | IS 10545-16 |
| 13. | Glossiness | Nil | Approx. 65% | Gloss Meter |
| 14. | Surface Quality | Minimum 95% | No visible defects | IS 10545-2 |
| CHEMICAL PROPERTIES | | | | |
| 1. | Stain Resistance* | Resistant | Resistant | IS 10545-14 |
| 2. | Chemical Resistance | No damage | No damage | IS 10545-13 |

PACKING DETAILS

| Size | Normal Thickness | No. of Tiles/Box | Coverage Area | Wt. of Box |
|-----------|------------------|------------------|---------------|------------|
| 605x605mm | 9.5 mm | 4 pcs. | 1.464 sq. mt. | 31.0 Kgs |
| 800x800mm | 10 mm | 3 pcs. | 1.92 sq. mt. | 00.0 Kgs |

APPLICATIONS

